

DACAME

MULTIPURPOSE

2 working levels rolling tower

manufactured according to European standards:

EN 1004:2006

Easy assembly

Easy handling



Access safely through a trapdoor



With outriggers



Easy shipment & stackable



MULTIPURPOSE ROLLING TOWER


MULTIPURPOSE ROLLING TOWER FOR 1 & 2 WORKING LEVELS

The multipurpose rolling tower with guardrails set, access planks and telescopic frames is designed to light masonry works. Coat finished.

DESCRIPTION	WEIGHT (kg)	PART No.
MP TOWER - 2 WORKING LEVELS (PT)	183	9901A0900
MP TOWER - 1 WORKING LEVEL (PT)	58	9901A0100
GUARDRAILS SET MP TOWER (PT)	30	9901A1001
OUTRIGGERS MP TOWER (PT) (4 N.)	16	9901A6001
CASTER MP TOWER (GA) (PT)	1,5	9901A5001

LEGEND

HW Wr - Working height.
 H Lad - Ladder Height.
 H P. Max - Maximum plank height.
 H P. Min - Minimum plank height.
 Length: 1, 8 meters.



■ EXAMPLES OF USE



Easy handling for access doors.

**Designed to work on uneven surfaces -
*telescopic frames***



Designed for light works.



Easy and quick assembly.

Multitasking.

Access safely through a
trapdoor.

Telescopic frames who allow to
work on uneven surfaces.



DACAME, S.L.
 Ctra. Santa Bárbara - La Sénia, km 4,6
 43515 - La Galera
 Tarragona - Spain
 Tel. (+34) 977 71 70 04

Fax (+34) 977 71 93 89
 dacame@dacame.com
 www.dacame.es

V.01-1607

Multidirectional scaffold
 MEKA 48



Mobile aluminium towers
 ALU 50



European scaffold
 DINO 48



Mobile steel towers
 SYS-FAST



Façade scaffold
 DUO 45



Mobile steel towers
 MEKA 48



European scaffold
 FREE 48



Multifunctional Tower



Façade scaffold
 DCM 49



Supporting Tower
 FORK HEAD D



Conventional Scaffold



Stages, ramps and grandstands



Access Towers



Accessories



Product manufacturer: Dacame S.L. · Product design: Dacame, S.L. · Graphic design: Dacame, S.L. · Production: Dacame, S.L.

The content of this catalogue is protected in its entirety by copyright. It is completely prohibited to copy the images, texts, illustrations and graphic concepts, totally or partially, without the express authorization of Dacame, S.L.